


Features:

- ◆ Standard T-1 diameter package
- ◆ General purpose leads
- ◆ Reliable and rugged

Package Dimensions:



Part NO.	CHIP Material	Colloid Color	Colloid Material
5 oval red 1400mcd 2.2v	InGaAIP	Red	Epoxy

Notes:

- 1、alldimens ions in mm tolerance is ± 0.2 mm unless otherwise noted.
- 2、an epoxy meniscus may extend about 1.5mm down the leads.
- 3、burr around bottom of epoxy may be 0.5mm max.

Part No	5 oval red 1400mcd 2.2v	Spec No	S/N 090520001/A	Page	- 2 -
---------	-------------------------	---------	-----------------	------	-------

■ Absolute Maximum Ratings (Ta = 25°C)

Parameter	Symbol	Absolute maximum Rating	Unit
Max Power Dissipation	P_M	80	mW
Max Continuous Forward Current	I_{FM}	20	mA
Max Reverse Voltage	V_{RM}	5	V
Peak Forward Current	I_{FP}	75	mA
Lead Soldering Temperature/Time	T_{SOL}	240/≤3S	°C/S
Operating Temperature Range	T_{OPR}	-25~+85	°C
Storage Temperature Range	T_{STR}	-30~+100	°C

■ Typical Electrical & Optical Characteristics(Ta=25°)

Parameter	Symbol	Min.	Typ.	Max.	Unit	Condition
Luminous Intensity	I_v	600	700	800	mcd	$I_F=20mA$
Viewing Angle	$2\theta_{1/2}$	/	60	/	deg	$I_F=20mA$
Peak Wave Length	λ_p	/	622	/	nm	$I_F=20mA$
Dominant Wave Length	λ_d	620	/	630	nm	$I_F=20mA$
Spectral Width at half height	$\Delta \lambda$	/	30	/	nm	$I_F=20mA$
Forward Voltage	V_F	1.9	2.1	2.3	V	$I_F=20mA$
Reverse Current	I_R	/	/	≤30	μA	$V_R=5V$
brightness						1400mcd

Notes:

- 1、 Through aging experiment certificate:This LED at normal work under condition:Then $I_F=20$ mA, $V_F=2.5$ V, the service life is 3-100,000 hours.
- 2、 Press anti-electrostatic weld an operation(connect a ground of line,wear static electricity wreath and wear a pure cotton finger set).
- 3、 The LED product that our company provide can order to do according to customer's need, the related technique parameter will take place variety, the detailed circumstance please consult with a relevant personnel of my company.

Part No	5 oval red 1400mcd 2.2v	Spec No	S/N 090520001/A	Page	- 3 -
---------	-------------------------	---------	-----------------	------	-------

RUI CHI